

TECHNICAL SPECIFICATION

MINIIG mini

PORTABLE RECHARGEABLE SPEAKER





CONNECTIVITY

- Latest Bluetooth 4.2 technology with support for APTX high quality audio streaming.
- Ability to connect two Minirig Mini's together wirelessly for stereo sound or double the volume.
- Ability to remember up to 8 devices and connect to 2 devices at the same time (multipoint).
- Ability to output Bluetooth audio via the two 3.5mm jack sockets – to link up and connect other Minirigs or Minirig subwoofer or connect up to a hi-fi as Bluetooth receiver.
- Two 3.5mm sockets which work as both audio inputs and outputs allowing easy daisy chaining and different configuration possibilities.




BATTERY

- Best in class battery life: Max 30 hours, average 10 hours and minimum 3 hours.
- 2 to 3 Hours charging time.



RECEIVER MODE

- Your MRM can be used as a Bluetooth receiver where it will output stereo audio via the 3.5mm jack. In this mode the MRM speaker will be muted and audio will be sent to your chosen device (e.g. headphones or Hifi).



ELECTRONICS

- Larger than normal 52mm speaker driver with clear natural sound and high efficiency
- Powerful 15W amplifier and unique adaptive audio electronics
- This enables the Minirig Mini to be the loudest portable speaker on the market for its size



ENGINEERING

- Beautiful high quality aluminium tube construction with variety of anodised colour finishes
- Minimal industrial design with simple and intuitive single button operation
- Design and made in the United Kingdom





APP

- Android app available upon release with iOS app coming soon.
- Huge number of features available via the app: mute, gain control, left/right/mono, switch devices (multipoint), stereo pairing and Bluetooth device re-naming.

Dimensions	W = 84mm H = 53mm
Weight	314 g
Driver	Custom 52mm with neodymium motor system
Frequency response	70-16000Hz
Battery life max volume	3 hours
Battery life average use	10 hours
Battery life low volume	30 hours
Input power	USB (5V DC @ 800mA)
Amplifier power	1 x 15Wrms
Bluetooth	4.2 with aptX, AAC and wireless stereo
Bluetooth Receiver Mode	Yes (line out / headphones)
Bluetooth Range	>10-30 meters line-of-sight
Charging time	2-3 hours
Audio input/output	2 x 3.5mm mini jack socket
Construction	Anodised aluminium and ABS / polycarbonate
Weatherproofing	Splash resistant
App	IOS and Android

84 mm



53 mm



MINICIG

Follow us for monthly mixes and giveaways

