


TECHNICAL SPECIFICATION

MINIIG SUB 2

PORTABLE RECHARGEABLE SUBWOOFER






CONNECTIVITY

- Two 3.5mm sockets which work as both audio inputs and outputs allowing easy daisy chaining and different configuration possibilities.




BATTERY

- Best in class battery life: Max 80 hours, average 40 hours and minimum 10 hours.
- 6 to 8 Hours charging time.



CHARGING

- Unique power cable has USB power “in” and USB power “out” to charge the Minirig and to charge other devices such as smartphone from the Minirig.
- Enough power for up to 3x iPhone 6 charges or 2x iPhone 5 charge.



ELECTRONICS

- Larger than normal 70mm speaker driver with clear natural sound and high efficiency.
- Powerful 30W amplifier within built limiter for low distortion.
- This enables the Minirig Subwoofer to be the loudest portable Sub on the market for its size.



ENGINEERING


- Beautiful high quality aluminium tube construction with variety of anodised colour finishes.
- Minimal industrial design with simple and intuitive single button operation.
- Design and made in the United Kingdom.




APP

- Android app available upon release with iOS app coming soon.
- Huge number of features available via the app: mute, gain control, left/right/mono, switch devices (multipoint), stereo pairing and Bluetooth device re-naming.

Dimensions	W = 101.6mm H = 213mm
Weight	875 g
Driver	Custom 74mm with neodymium motor system
Frequency response	48-150Hz
Battery life max volume	10 hours
Battery life average use	40 hours
Battery life low volume	80 hours
Input power	USB (5V DC @ 800mA)
Output power	USB (5V DC @ 500mA)
Charging time	8-9 hours
Audio input/output	2 x 3.5mm mini jack socket
Construction	Anodised aluminium and ABS / polycarbonate



101.6mm



213mm



MINICIG

Follow us for monthly mixes and giveaways

